

 A2Z Plus for Training and Consulting



A2Z For Training & Consulting



A Survey and Gathered data from pregnant women in the West Bank

In partnership with UNFPA in coordination with MoH- Women Health Development Unit



February 2023



- ★ Conducted a survey and gathered data from pregnant women in the West Bank, aimed at identifying instances of gender-based violence and harmful practices among pregnant women among this demographic (The sample: 1000 respondents). UNFPA in coordination with MoH- Women Health Development Unit (WHDU), October 2022 - February 2023.

Executive Summary

Gender-based violence in all its forms (physical, psychological, economic, and sexual) increases the suffering of women, in addition to causing a range of health effects, psychological, physical, and those related to sexual and reproductive health on the short and long term. Domestic violence also affects the health of children and their healthy development physically and psychologically, it may lead to their behavioral and emotional disturbance, and it may be a reason for them to commit violence at a later time.

Likewise, domestic violence leads to many negative effects on family members, women and children in particular, in addition to the dangers it poses to the structure of society as a whole. In addition, violence against women by the husband during pregnancy is a more serious issue related to public health, and it has an impact harmful to both mother and child. Pregnancy, when accompanied by partner's violence, increases the levels of health risks, and violence during pregnancy, whether physical, psychological, sexual, or economic, leads to many adverse physical and psychological effects on both the mother and the fetus. Violence practiced by the husband during pregnancy is classified as harmful behavior towards the pregnant woman, and it is likely that the level of abuse and its effects are usually affected in terms of the severity of the violence and its frequency. Violence against a pregnant woman may lead to risks that may lead to miscarriage or cause harm to the fetus, and to more serious consequences if it continues.

This study and the survey aim to determine the prevalence of violence by husbands against pregnant women in the West Bank: (the prevalence rate, contributing factors and its effects on pregnancy), and to study the size of the phenomenon and the level of partner violence, and whether the husband's violence causes risks to the health of the mother and child, as it is related to the complications of pregnancy and childbirth, in order to provide data to specialists and contribute to formulating directions and proposing clear interventions that contribute to addressing this phenomenon and improving the quality of services provided to

women in this field in the future. This task included implementing and conducting a quantitative survey in order to collect data on cases of gender-based violence among pregnant women through primary healthcare clinics, especially pregnancy care services in the West Bank, in coordination with the Ministry of Health - Women's Health Development Unit (WHDU) and with the support of the United Nations Population Fund (UNFPA), which aimed to collect (1000) questionnaires within the mentioned survey sample

مسح " العنف الموجه من قبل الأزواج على النساء الحوامل في الضفة الغربية: نسبة الانتشار والعوامل المساعدة وآثاره على الحمل" ، صندوق الأمم المتحدة للسكان UNFPA بالتعاون مع وحدة تنمية صحة المرأة (WHDU) ، وتنفيذ شركة A2Z+ للتدريب والاستشارات، يناير 2023

الملخص التنفيذي

يؤدي العنف المبني على النوع الاجتماعي بكافة أشكاله (الجسدي والنفسي والاقتصادي والجنسي) إلى زيادة معاناة المرأة علاوة على التسبب بمجموعة من الآثار الصحية، النفسية، الجسدية، وتلك المرتبطة بالصحة الجنسية والإنجابية على المدى القصير والطويل، كما يؤثر العنف الأسري على صحة الأبناء ونموهم جسدياً ونفسياً وقد يؤدي إلى اضطرابهم سلوكياً وعاطفياً، ويمكن ان يكون سبباً في ارتكابهم للعنف في وقت لاحق.

كذلك، يؤدي العنف الأسري إلى العديد من الآثار السلبية على أفراد الأسرة والنساء والأطفال على وجه الخصوص بالإضافة إلى ما يحمله من مخاطر على بنية المجتمع ككل، بالإضافة إلى ذلك يعتبر العنف ضد المرأة من قبل الزوج أثناء الحمل مسألة أكثر خطورة وتتعلق بالصحة العامة، ولها تأثير ضار على كل من الأم والطفل. الحمل عندما يصبحه عنف من الشريك تزيد معه مستويات المخاطر الصحية، والعنف أثناء الحمل، سواء أكان جسدياً، أو نفسياً أو جنسياً أو اقتصادياً، يؤدي إلى العديد من الآثار البدنية والنفسية العكسية على كل من الأم والجنين. ان العنف الممارس من الزوج أثناء الحمل يصنف على أنه سلوك مؤذٍ تجاه المرأة الحامل، ومن المحتمل أن يتأثر مستوى الإيذاء عادةً وتأثيراته من حيث شدة العنف ومعدل تكراره. وقد يؤدي العنف ضد المرأة الحامل إلى مخاطر قد تصل إلى الإجهاض أو التسبب بإيذاء للجنين ولنتائج أكثر خطورة في حال استمراره.

تأتي هذه الدراسة والمسح بهدف تحديد مدى انتشار العنف من قبل الأزواج على النساء الحوامل في الضفة الغربية: (نسبة الانتشار والعوامل المساعدة وآثاره على الحمل)"، ودراسة حجم الظاهرة ومستوى العنف الواقع من الشريك، وما إذا كان عنف الزوج يحمل مخاطر على صحة الأم والطفل ويرتبط بمضاعفات الحمل والولادة، وذلك من أجل توفير البيانات لذوي الاختصاص والمساهمة بصياغة توجهات وإقتراح تدخلات واضحة تساهم في معالجة هذه الظاهرة وتحسين جودة الخدمات المقدمة للنساء في هذا المجال في المستقبل. وقد تضمنت هذه المهمة، تنفيذ وإجراء مسح كمي من أجل جمع بيانات عن حالات العنف القائم على النوع الاجتماعي بين النساء الحوامل من خلال عيادات الرعاية الصحية الأولية وخصوصاً خدمات رعاية الحوامل في الضفة الغربية بالتنسيق مع وزارة الصحة - وحدة تنمية صحة المرأة (WHDU) وبدعم من صندوق الأمم المتحدة للسكان UNFPA ، والتي إستهدفت جمع (1000) إستبيان ضمن عينة المسح المذكور.